



NEW OPEN SPACES THANKS TO
A LIFT/SLIDING DOOR SOLUTION

Kömmerling PremiDoor 76



WELCOME THE SUN INTO YOUR HOME

Bright, light-filled living spaces – a dream you can make come true at any time with our Kömmerling PremiDoor 76. Recharge your batteries whilst gazing out at the countryside or enjoy the expanse of the urban skyline. Anything is possible, because Kömmerling PremiDoor 76 creates generous glazed areas that bring the outdoors into your home. Good to know: the system is virtually barrier-free, offers convenient operation and provides good thermal insulation. The result: a lift/sliding door solution for both new builds and renovations.

AT A GLANCE

- Barrier-free thresholds
- Tall installed heights and glazed areas
- High levels of natural light; depending on the orientation, solar heat may enter the room
- User-friendly operation when opening and closing



LOOK ON THE BRIGHT SIDE

Kömmerring PremiDoor 76 Lux

Want more? More transparency, more natural light, more heat gain? Then Kömmerring PremiDoor 76 Lux is a good solution. Thanks to its sophisticated design, the sash profile is particularly narrow in the fixed glazing. This creates particularly generous glazed areas that allow more sunlight to enter.



Kömmerring PremiDoor 76

GIVE LIGHT MORE SPACE

Kömmerring PremiDoor 76 and PremiDoor 76 Lux

Do you place great importance on thermal insulation, sound insulation and burglary protection? If so, the Kömmerring PremiDoor 76 lift/sliding door system could be the right solution for you. You can choose between two variants: The classic Kömmerring PremiDoor 76 design, which already offers high thermal insulation. Or you can opt for Kömmerring PremiDoor 76 Lux with even more incoming light.

PremiDoor 76		PremiDoor 76 Lux
✓	Maximum installed height of 2.60 m	✓
✓	Glazing options up to 52 mm	✓
✓	Standard thermal insulation: $U_f = 1.4 \text{ W/(m}^2\text{K)}$	✓
✓	Burglary protection up to security standard RC 2	✓
✓	Barrier-free threshold	✓
	Significantly more incoming light thanks to reduced sash profile	✓



Kömmerring PremiDoor 76 Lux

A VARIETY OF VIEWS, BEAUTIFUL SCENERY

Kömmerling PremiDoor 76 opens up a wealth of design possibilities – thanks to a wide range of colours and materials. The range extends from classic white PVC-U to film-coated solutions, AluClip aluminium cladding to Kömmerling AcrylColor and proCoverTec.





COLOURED SURFACE WITH PROTECTIVE FUNCTION

Kömmerling AcrylColor

Kömmerling AcrylColor offers a wide range of colours and a durable surface on the outside of your Kömmerling PremiDoor 76. The principle: The acrylic is permanently bonded to the PVC-U of the profile using a thermal process. This helps to ensure the colour fastness of the window profiles. They are also scratch-resistant, easy to maintain and weather-resistant. Another advantage: Kömmerling AcrylColor profiles are recyclable.

COMBINATION OF PVC-U AND ALUMINIUM

Aluminium cladding AluClip

The AluClip aluminium cladding complements your Kömmerling PremiDoor 76 solution. The combination of a PVC-U profile and aluminium offers a low-maintenance solution with an aluminium outer cladding. The added bonus: the AluClip version offers a wide range of colours.





COLOUR



PROTECTION



USER FRIENDLY

COLOUR VARIETY AND YOUR POSSIBILITIES

PremiDoor 76		PremiDoor 76 Lux
✓	Classic PVC-U white	✓
✓	Laminated in wood grain	✓
✓	Laminated in plain colours	✓
✓	Laminated in metallic colours	✓
✓	AluClip	✓
✓	Kömmerling AcrylColor	
✓	proCoverTec	✓



SURFACE TECHNOLOGY proCoverTec

proCoverTec – protected by colour


proCoverTec is a surface treatment technology for coloured profiles: proCoverTec gives a silk-matt finish and a slightly textured feel. Furthermore, proCoverTec is resistant to UV and infrared light and is dirt-repellent. In short: a combination of protective function and decorative colour.



OPENING MODES




SYSTEM A, DIN left
1 lift/sliding sash
1 fixed pane



SYSTEM K
2 lift/sliding sashes
1 fixed pane



SYSTEM D
2 lift/sliding sashes



SYSTEM C
2 lift/sliding sashes
2 fixed panes

#KömmerlingForTomorrow

profine GmbH
Kömmerling

Zweibrücker Straße 200
66954 Pirmasens
Tel. +49 (0) 6331 560
E-mail: info@koemmerling.com

www.koemmerling.com

